Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 119
15 February to 15 March 1978

ACADEMIC PRESS
London New York San Francisco

Copyright © 1978, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 119

NUMBER 1, 15 FEBRUARY 1978

ROSS, J. and KNECHT, D. A., Precursors of Alpha and Beta Globin Messenger RNAs 1

ROSS, J., Purification and Structural Properties of the Precursors of the Globin Messenger RNAs 21

KIRSCHBAUM, J. B., A Mutation in the Gene for the β' Subunit of *Escherichia coli* RNA Polymerase which Specifically Affects Transcription of the *rpo*BC Operon 37

BOGENHAGEN, D. and CLAYTON, D. A., Mechanism of Mitochondrial DNA Replication in Mouse L-Cells: Kinetics of Synthesis and Turnover of the Initiation Sequence 49

BOGENHAGEN, D. and CLAYTON, D. A., Mechanism of Mitochondrial DNA Replication in Mouse L-Cells: Introduction of Superhelical Turns into Newly Replicated Molecules 69

BARNES, W. M., DNA Sequencing by Partial Ribosubstitution 83

BERZIN, V., BORISOVA, G. P., CIELENS, I., GRIBANOV, V. A., JANSONE, I., ROSENTHAL, G. and GREN, E. J., The Regulatory Region of MS2 Phage RNA Replicase Cistron. Functional Activity of Individual MS2 RNA Fragments 101

RAMIREZ, J. L. and DAWID, I. B., Mapping of Mitochondrial DNA in *Xenopus laevis* and *X. borealis*: The Positions of Ribosomal Genes and D-loops . 133

ANDERSON, R. P. and ROTH, J. R., Tandem Chromosomal Duplication in *Salmonella typhimurium*: Fusion of Histidine Genes to Novel Promoters . . 147

NUMBER 2, 25 FEBRUARY 1978

CAMPOS, J. M., GEISSELSODER, J. and ZUSMAN, D. R., Isolation of Bacteriophage MX4, a Generalized Transducing Phage for *Myxococcus xanthus* . . 167

GEISSELSODER, J., CAMPOS, J. M. and ZUSMAN, D. R., Physical Characterization of Bacteriophage MX4, a Generalized Transducing Phage for *Myxococcus xanthus* 179

ASCOLI, F., ROSSI FANELLI, M. R., CHIANCONE, E., VECCHINI, P. and ANTONINI, E., Studies on Erythrocruorin. VI. Ferric Derivatives of Earthworm Erythrocruorin 191

Stuhrmann, H. B., Koch, M. H. J., Parfait, R., Haas, J., Ibel, K. and Crichton, R. R., Determination of the Distribution of Protein and Nucleic Acid in the 70 S Ribosomes of *Escherichia coli* and Their 30 S Subunits by Neutron Scattering 203

Fonty, G., Gourgot, R., Wilkie, D. and Bernardi, G., The Mitochondrial Genome of Wild-type Yeast Cells. VII. Recombination in Crosses . 213

Goodfellow, J. M., Elliott, G. F. and Woolgar, A. E., X-ray Diffraction Studies of the Corneal Stroma 237

Hackett, P. B., Egberts, E. and Traub, P., Characterization of Ehrlich Ascites Tumor Cell Messenger RNA specifying Ribosomal Proteins by Translation *in vitro* 253

Salas, M., Mellado, R. P., Viñuela, E. and Sogo, J. M., Characterization of a Protein Covalently Linked to the 5′ Termini of the DNA of *Bacillus subtilis* Phage ϕ29 269

Mathews, M. B. and Pettersson, U., The Low Molecular Weight of RNAs of Adenovirus 2-infected Cells 293

Phillips, D. C., Sternberg, M. J. E., Thornton, J. M. and Wilson, I. A., An Analysis of the Structure of Triose Phosphate Isomerase and its Comparison with Lactate Dehydrogenase 329

Letter to the Editor

Pettijohn, D., Hecht, R. M., Stimpson, D. and van Scoyk, S., An Explanation for Rotor Speed Effects observed during Sedimentation of Large Folded DNA Molecules 353

Number 3, 5 March 1978

Hattman, S., van Ormondt, H. and de Waard, A., Sequence Specificity of the Wild-type (*dam*$^+$) and Mutant (*dam*^{h}) Forms of Bacteriophage T2 DNA Adenine Methylase 361

Bosshard, H. R., Koch, G. L. E. and Hartley, B. S., The Aminoacyl-tRNA Synthetase–tRNA Complex: Detection by Differential Labelling of Lysine Residues involved in Complex Formation 377

Gulik, A., Freund, A. M. and Vachette, P., Small-angle X-ray Scattering Study of Ribosomal Proteins S3, S4, S7 and S20 391

Leslie, A. G. W. and Arnott, S., Structure of the Single-stranded Polyribonucleotide Poly(2′-*O*-methylcytidylic Acid) 399

FINNEY, J. L., Volume Occupation, Environment, and Accessibility in Proteins, Environment and Molecular Area of RNase-S 415

LETTERS TO THE EDITOR

WEININGER, M. S. and BANASZAK, L. J., Mitochondrial Malate Dehydrogenase. Crystallographic Properties of the Pig Heart Enzyme . . 443

PLAPP, B. V., ZEPPEZAUER, E. and BRÄNDÉN, C-I., Crystallization of Liver Alcohol Dehydrogenase activated by the Modification of Amino Groups 451

ENGLAND, J. M., COSTANTINO, P. and ATTARDI, G., Mitochondrial RNA and Protein Synthesis in Enucleated African Green Monkey Cells . . 455

NUMBER 4, 15 MARCH 1978

LANGER, J. A., ENGELMAN, D. M. and MOORE, P. B., Neutron-scattering Studies of the Ribosome of *Escherichia coli*: a Provisional Map of the Locations of Proteins S3, S4, S5, S7, S8 and S9 in the 30 S Subunit 463

HENSON, P., The Presence of Single-stranded Regions in Mammalian DNA . 487

CREIGHTON, T. E., DYCKES, D. F. and SHEPPARD, R. C., Refolding of Bovine Pancreatic Trypsin Inhibitor Modified at Methionine-52 507

MCCLAIN, W. H., SEIDMAN, J. G. and SCHMIDT, F. J., Evolution of the Biosynthesis of 3′-Terminal C-C-A Residues in T-even Bacteriophage Transfer RNAs 519

RICHMOND, T. J. and RICHARDS, F. M., Packing of α-Helices: Geometrical Constraints and Contact Areas 537

LETTERS TO THE EDITOR

MARQUIS, D. and FAHNESTOCK, S. R., A Complex of Acidic Ribosomal Proteins. Evidence of a Four-to-one Complex of Proteins in the *Bacillus stearothermophilus* Ribosome 557

COOKINGHAM, R. E. and LEWIS, A., Resonance Raman Spectroscopy of Chemically Modified Retinals: Assigning the Carbon–Methyl Vibrations in the Resonance Raman Spectrum of Rhodopsin 569

Index to Volume 119

Accessibility, volume occupation, and environment in proteins; environment and molecular area of RNase-S, 415
Adenovirus 2-infected cells, the low molecular weight of RNAs, 293
African green monkey, mitochondrial RNA and protein synthesis in enucleated cells, 455
Alcohol dehydrogenase, liver, activated by the modification of amino groups, crystallization, 451
Alpha and beta globin mRNA precursors, 1
Amino groups, crystallization of liver alchohol dehydrogenase activated by their modification, 451
Aminoacyl-tRNA synthetase–tRNA complex: detection by differential labelling of lysine residues involved in complex formation, 377
Anderson, R. P. & Roth. J. R., Tandem chromosomal duplication in *Salmonella typhimurium:* fusion of histidine genes to novel promoters, 147
Antonini, E. (see also Ascoli, F.), 191
Arnott, S. (see also Leslie, A. G. W.), 399
Ascoli, F., Rossi Fanelli, M. R., Chiancone, E., Vecchini, P. & Antonini, E., Studies on erythrocruorin. VI. Ferric derivatives of earthworm erythrocruorin, 191
Attardi, G. (see also England, J. M.), 455

Bacillus stearothermophilus ribosome, evidence of a four-to-one complex of acidic proteins, 557
— *subtilis* phage ø29 DNA, characterization of a protein covalently linked to the 5′ termini, 269
Bacteriophage MS2 RNA replicase cistron, the regulatory region; functional activity of individual MS2 RNA fragments, 101
— MX4, a generalized transducing phage for *Myxococcus xanthus*, isolation, 167
— ϕ29 DNA from *Bacillus subtilis*, characterization of a protein covalently linked to the 5′ termini, 269
— T2 DNA adenine methylase, sequence specificity of the wild-type (*dam*$^+$) and mutant (*dam*^{h}) forms, 361
— T-even tRNAs, evolution of the biosynthesis of 3′-terminal C-C-A residues, 519
Banaszak, L. J. (see also Weininger, M. S.), 443
Barnes, W. M., DNA sequencing by partial ribosubstitution, 83
Bernardi, G. (see also Fonty, G.), 213
Berzin, V., Borisova, G. P., Cielens, I., Gribanov, V. A., Jansone, I., Rosenthal, G. & Gren, E. J., The regulatory region of MS2 phage RNA replicase cistron. Functional activity of individual MS2 RNA fragments, 101
Beta and alpha globin mRNA precursors, 1
β' subunit gene of *Escherichia coli* RNA polymerase, a mutation which specifically affects transcription of the *rpo*BC operon, 37
Biosynthesis evolution of 3′-terminal C-C-A residues in T-even bacteriophage tRNAs, 519
Bogenhagen, D. & Clayton, D. A., Mechanism of mitochondrial DNA replication in mouse L-cells: introduction of superhelical turns into newly replicated molecules, 69
— & —, — — — — — — — — —: kinetics of synthesis and turnover of the initiation sequence, 49
Borisova, G. P. (see also Berzin, V.), 101
Bosshard, H. R., Koch, G. L. E. & Hartley, B. S., The aminoacyl-tRNA synthetase–tRNA complex: detection by differential labelling of lysine residues involved in complex formation, 377
Bovine pancreatic trypsin inhibitor modified at methionine-52, refolding, 507
Brändén, C-I. (see also Plapp, B. V.), 451

Campos, J. M., Geisselsoder, J. & Zusman, D. R., Isolation of bacteriophage MX4, a generalized transducing phage for *Myxococcus xanthus*, 167
— (see also Geisselsoder, J.), 179
C-C-A residues, 3′-terminal, evolution of their biosynthesis in T-even bacteriophage tRNAs, 519
Chiancone, E. (see also Ascoli, F.), 191
Chromosomal duplications, tandem, in *Salmonella typhimurium:* fusion of histidine genes to novel promoters, 147
Cielens, I. (see also Berzin, V.), 101

Clayton, D. A. (see also Bogenhagen, D.), 49, 69
Complex, aminoacyl-tRNA synthetase-tRNA: detection by differential labelling of lysine residues involved in complex formation, 377
— of acidic ribosomal proteins: evidence of a four-to-one complex of proteins in the *Bacillus stearothermophilus* ribosome, 557
Cookingham, R. E. & Lewis, A., Resonance Raman spectroscopy of chemically modified retinals: assigning the carbon-methyl vibrations in the resonance Raman spectrum of rhodopsin, 569
Corneal stroma, X-ray diffraction studies, 237
Costantino, P. (see also England, J. M.), 455
Creighton, T. E., Dyckes, D. F. & Sheppard, R. C., Refolding of bovine pancreatic trypsin inhibitor modified at methionine-52, 507
Crichton, R. R. (see also Stuhrmann, H. B.), 203
Crystallization of liver alcohol dehydrogenase activated by the modification of amino groups, 451
Crystallographic properties of pig heart mitochondrial malate dehydrogenase, 443

dam$^+$ and *dam*^{h} forms of bacteriophage T2 DNA adenine methylase, sequence specificity, 361
Dawid, I. B. (see also Ramirez, J. L.), 133
de Waard, A. (see also Hattman, S.), 361
D-loop and ribosomal gene positions; mapping of mitochondrial DNA in *Xenopus laevis* and *X. borealis*, 133
DNA adenine methylase, bacteriophage T2, sequence specificity of the wild-type (*dam*$^+$) and mutant (*dam*^{h}) forms, 361
—, mammalian, the presence of single-stranded regions, 487
—, mitochondrial, mapping for *Xenopus laevis* and *X. borealis:* the positions of ribosomal genes and D-loops, 133
—, —, replication mechanism in mouse L-cells: introduction of superhelical turns into newly replicated molecules, 69
—, —, — — — — — — — ; kinetics of synthesis and turnover of the initiation sequence, 49
— molecules, folded, large, an explanation for rotor speed effects observed during their sedimentation, 353
— of *Bacillus subtilis* phage ϕ29, characterization of a protein covalently linked to the 5′ termini, 269
— sequencing by partial ribosubstitution, 83
Duplications, chromosomal, tandem, in *Salmonella typhimurium:* fusion of histidine genes to novel promoters, 147
Dyckes, D. F. (see also Creighton, T. E.), 507

Earthworm erythrocruorin, ferric derivatives, 191
Egberts, E. (see also Hackett, P. B.), 253
Ehrlich ascites tumor cell mRNA specifying ribosomal proteins by translation *in vitro*, characterization, 253
Elliott, G. F. (see also Goodfellow, J. M.), 237
Engelman, D. M. (see also Langer, J. A.), 463
England, J. M., Costantino, P. & Attardi, G., Mitochondrial RNA and protein synthesis in enucleated African green monkey cells, 455
Enucleated African green monkey cells, mitochondrial RNA and protein synthesis, 455
Erythrocruorin, earthworm, ferric derivatives, 191
Escherichia coli, determination of the distribution of protein and nucleic acid in the 70 S ribosomes and their 30 S subunits by neutron scattering, 203
— — ribosome: a provisional map of the locations of proteins S3, S4, S5, S7, S8 and S9 in the 30 S subunit, from neutron-scattering studies, 463
— — RNA polymerase, a mutation in the gene for the β' subunit which specifically affects transcription of the *rpo*BC operon, 37
Evolution of the biosynthesis of 3′-terminal C-C-A residues in T-even bacteriophage tRNAs, 519

Fahnestock, S. R. (see also Marquis, D.), 557
Ferric derivatives of earthworm erythrocruorin, 191
Finney, J. L., Volume occupation, environment and accessibility in proteins, environment and molecular area of RNase-S, 415
Fonty, G., Goursot, R., Wilkie, D. & Bernardi, G., The mitochondrial genome of wild-type yeast cells. VII. Recombination in crosses, 213
Freund, A. M. (see also Gulik, A.), 391

Geisselsoder, J., Campos, J. M. & Zusman, D. R., Physical characterization of bacteriophage MX4, a generalized transducing phage for *Myxococcus xanthus*, 179
— (see also Campos, J. M.), 167
Gene for the β' subunit of *Escherichia coli* RNA polymerase, a mutation which specifically affects transcription of the *rpo*BC operon, 37
—, ribosomal, and D-loop positions; mapping of mitochondrial DNA in *Xenopus laevis* and *X. borealis*, 133
Genes, histidine, fusion to novel promoters; tandem chromosomal duplications in *Salmonella typhimurium*, 147
Genome, mitochondrial, of wild-type yeast cells; recombination in crosses, 213
Globin, alpha and beta, mRNA precursors, 1
— mRNA precursors, purification and structural properties, 21
Goodfellow, J. M., Elliott, G. F. & Woolgar, A. E., X-ray diffraction studies of the corneal stroma, 237
Goursot, R. (see also Fonty, G.), 213
Gren, E. J. (see also Berzin, V.), 101
Gribanov, V. A. (see also Berzin, V.), 101
Gulik, A., Freund, A. M. & Vachette, P., Small-angle X-ray scattering study of ribosomal proteins S3, S4, S7 and S20, 391

Haas, J. (see also Stuhrmann, H. B.), 203
Hackett, P. B., Egberts, E. & Traub, P., Characterization of Ehrlich ascites tumor cell messenger RNA specifying ribosomal proteins by translation *in vitro*, 253
Hartley, B. S. (see also Bosshard, H. R.), 377
Hattman, S., van Ormondt, H. & de Waard, A., Sequence specificity of the wild-type (dam^+) and mutant (dam^h) forms of bacteriophage T2 DNA adenine methylase, 361
Heart, pig, crystallographic properties of mitochondrial malate dehydrogenase, 443
Hecht, R. M. (see also Pettijohn, D.), 353
α-Helices packing: geometrical constraints and contact areas, 537
Henson, P., The presence of single-stranded regions in mammalian DNA, 487
Histidine genes, fusion to novel promoters; tandem chromosomal duplications in *Salmonella typhimurium*, 147

Ibel, K. (see also Stuhrmann, H. B.), 203
Initiation sequence, kinetics of synthesis and turnover; mechanism of mitochondrial DNA replication in mouse L-cells, 49

Jansone, I. (see also Berzin, V.), 101

Kirschbaum, J. B., A mutation in the gene for the β' subunit of *Escherichia coli* RNA polymerase which specifically affects transcription of the *rpo*BC operon, 37
Knecht, D. A. (see also Ross, J.), 1
Koch, G. L. E. (see also Bosshard, H. R.), 377
Koch, M. H. J. (see also Stuhrmann, H. B.), 203

Lactate dehydrogenase, comparison with structure of triose phosphate isomerase, 329
Langer, J. A., Engelman, D. M. & Moore, P. B., Neutron-scattering studies of the ribosome of *Escherichia coli:* a provisional map of the locations of proteins S3, S4, S5, S7, S8 and S9 in the 30 S subunit, 463
L-cells, mouse, mechanism of mitochondrial DNA replication: introduction of superhelical turns into newly replicated molecules, 69
— —, —, — — — — —: kinetics of synthesis and turnover of the initiation sequence, 49
Leslie, A. G. W. & Arnott, S., Structure of the single-stranded polyribonucleotide pol(2′-*O*-methylcytidylic acid), 399
Lewis, A. (see also Cookingham, R. E.), 569
Liver alcohol dehydrogenase activated by the modification of amino groups, crystallization, 451
Lysine residues involved in complex formation, differential labelling; the aminoacyl-tRNA synthetase–tRNA complex, 377

McClain, W. H., Seidman, J. G. & Schmidt, F. J., Evolution of the biosynthesis of 3′-terminal C-C-A residues in T-even bacteriophage transfer RNAs, 519
Malate dehydrogenase, mitochondrial. Crystallographic properties of the pig heart enzyme, 443

Mammalian DNA, the presence of single-stranded regions, 487
Mapping of mitochondrial DNA in *Xenopus laevis* and *X. borealis:* the positions of ribosomal genes and D-loops, 133
Marquis, D. & Fahnestock, S. R., A complex of acidic ribosomal proteins. Evidence of a four-to-one complex of proteins in the *Bacillus stearothermophilus* ribosome, 557
Mathews, M. B. & Pettersson, U., The low molecular weight of RNAs of adenovirus 2-infected cells, 293
Mellado, R. P. (see also Salas, M.), 269
Messenger RNA, Ehrlich ascites tumor cell, specifying ribosomal proteins by translation *in vitro*, characterization, 253
— — precursors, alpha and beta globin, 1
— — —, globin, purification and structural properties, 21
Methionine-52 modified bovine pancreatic trypsin inhibitor, refolding, 507
Methylase specificity, T2 DNA, 361
Mitochondrial DNA, mapping for *Xenopus laevis* and *X. borealis:* the positions of ribosomal genes and D-loops, 133
— — replication mechanism in mouse L-cells: introduction of superhelical turns into newly replicated molecules, 69
— — — — — — — —: kinetics of synthesis and turnover of the initiation sequence, 49
— genome of wild-type yeast cells; recombination in crosses, 213
— malate dehydrogenase; crystallographic properties of the pig heart enzyme, 443
— RNA and protein synthesis in enucleated African green monkey cells, 455
Molecular area and environment of RNase-S; volume occupation, environment, and accessibility in proteins, 415
— weight, low, of RNAs of adenovirus 2 infected cells, 293
Monkey, African green, mitochondrial RNA and protein synthesis in enucleated cells, 455
Moore, P. B. (see also Langer, J. A.), 463
Mouse L-cells, mechanism of mitochondrial DNA replication: introduction of superhelical turns into newly replicated molecules, 69
— — —, — — — — —: kinetics of synthesis and turnover of the initiation sequence, 49
MS2 (see also Bacteriophage), 101
Mutant (*dam*^{h}) and wild-type (*dam*$^{+}$) forms of bacteriophage T2 DNA adenine methylase, sequence specificity, 361
Mutation in the gene for the β' subunit of *Escherichia coli* RNA polymerase which specifically affects transcription of the *rpo*BC operon, 37
MX4 (see also Bacteriophage), 167, 179
Myxococcus xanthus, isolation of bacteriophage MX4, a generalized transducing phage, 167
— —, physical characterization of bacteriophage MX4, a generalized transducing phage, 179

Neutron-scattering determination of the distribution of protein and nucleic acid in the 70 S ribosomes of *Escherichia coli* and their 30 S subunits, 203
Neutron-scattering studies of the ribosome of *Escherichia coli:* a provisional map of the locations of proteins S3, S4, S5, S7, S8 and S9 in the 30 S subunit, 463
Nucleic acid and protein distribution in the 70 S ribosomes of *Escherichia coli* and their 30 S subunits, determination by neutron scattering, 203

ϕ29 (see also Bacteriophage), 269
Packing of α-helices: geometrical constraints and contact areas, 537
Pancreatic trypsin inhibitor, bovine, modified at methionine-52, refolding, 507
Parfait, R. (see also Stuhrmann, H. B.), 203
Pettersson, U. (see also Mathews, M. B.), 293
Pettijohn, D., Hecht, R. M., Stimpson, D. & Van Scoyk, S., An explanation for rotor speed effects observed during sedimentation of large folded DNA molecules, 353
Phillips, D. C., Sternberg, M. J. E., Thornton, J. M. & Wilson, I. A., An analysis of the structure of triose phosphate isomerase and its comparison with lactate dehydrogenase, 329
Pig heart mitochondrial malate dehydrogenase, crystallographic properties, 443
Plapp, B. V., Zeppezauer, E. & Brändén, C-I., Crystallization of liver alcohol dehydrogenase activated by the modification of amino groups, 451
Polymerase for *Escherichia coli* RNA, a mutation in the gene for the β' subunit which specifically affects transcription of the *rpo*BC operon, 37
Poly(2′-*O*-methylcytidylic acid), structure, 399
Precursors of alpha and beta globin mRNAs, 1
— — the globin mRNAs, purification and structural properties, 21

Promoters, novel, fusion to histidine genes; tandem chromosomal duplications in *Salmonella typhimurium*, 147
Protein and mitochondrial RNA synthesis in enucleated African green monkey cells, 455
— — nucleic acid distribution in the 70 S ribosomes of *Escherichia coli* and their 30 S subunits, determination by neutron scattering, 203
— covalently linked to the 5′ termini of the DNA of *Bacillus subtilis* phage ϕ29, characterization, 269
Proteins, ribosomal, acidic, evidence of a four-to-one complex in the *Bacillus stearothermophilus* ribosome, 557
—, —, in Ehrlich ascites tumor cells, characterization of specifying mRNA, 253
— S3, S4, S5, S7, S8 and S9, a provisional map of their locations in the 30 S subunit, from neutron-scattering studies of the ribosome of *Escherichia coli*, 463
— —, —, S7 and S20, ribosomal, small-angle X-ray scattering study, 391
—, volume occupation, environment, and accessibility. Environment and molecular area of RNase-S, 415

Raman resonance spectroscopy of chemically modified retinals: assigning the carbon–methyl vibrations in the resonance spectrum of rhodopsin, 569
Ramirez, J. L. & Dawid, I. B., Mapping of mitochondrial DNA in *Xenopus laevis* and *X. borealis:* the positions of ribosomal genes and D-loops, 133
Recombination in crosses; the mitochondrial genome of wild-type yeast cells, 213
Refolding of bovine pancreatic trypsin inhibitor modified at methionine-52, 507
Regulatory region of MS2 phage RNA replicase cistron. Functional activity of individual MS2 RNA fragments, 101
Replication mechanism for mitochondrial DNA in mouse L-cells: introduction of superhelical turns into newly replicated molecules, 69
— — — — — — — — : kinetics of synthesis and turnover of the initiation sequence, 49
Retinals, chemically modified, resonance Raman spectroscopy: assigning the carbon-methyl vibrations in the resonance spectrum of rhodopsin, 569
Rhodopsin, assigning the carbon-methyl vibrations in the resonance Raman spectrum; resonance Raman spectroscopy of chemically modified retinals, 569
RNA, low molecular weight, of adenovirus 2-infected cells, 293
—, messenger, Ehrlich ascites tumor cell, specifying ribosomal proteins by translation *in vitro*, characterization, 253
—, —, precursors for alpha and beta globin, 1
—, —, — — globin, purification and structural properties, 21
—, mitochondrial, and protein synthesis in enucleated African green monkey cells, 455
— polymerase for *Escherichia coli*, a mutation in the gene for the β' subunit which specifically affects transcription of the *rpo*BC operon, 37
— replicase cistron, MS2 phage, the regulatory region; functional activity of individual MS2 RNA fragments, 101
—, transfer, of T-even bacteriophages, evolution of the biosynthesis of 3′-terminal C-C-A residues, 519
Ribosomal gene and D-loop positions; mapping of mitochondrial DNA in *Xenopus laevis* and *X. borealis*, 133
— proteins, acidic, evidence of a four-to-one complex in the *Bacillus stearothermophilus* ribosome, 557
— — in Ehrlich ascites tumor cells, characterization of specifying mRNA, 253
— — S3, S4, S7 and S20, small-angle X-ray scattering study, 391
Ribosome of *Escherichia coli:* a provisional map of the locations of proteins S3, S4, S5, S7, S8 and S9 in the 30 S subunit, from neutron-scattering studies, 463
Ribosomes, 70 S of *Escherichia coli* and their 30 S subunits, determination of the distribution of protein and nucleic acid by neutron scattering, 203
Ribosubstitution, partial, and DNA sequencing, 83
Richards, F. M. (see also Richmond, T. J.), 537
Richmond, T. J. & Richards, F. M., Packing of α-helices: geometrical constraints and contact areas, 537
RNase S environment and molecular area; volume occupation, environment, and accessibility in proteins, 415
Rosenthal, G. (see also Berzin, V), 101
Ross, J., Purification and structural properties of the precursors of the globin messenger RNAs, 21
— & Knecht, D. A., Precursors of alpha and beta globin messenger RNAs, 1
Rossi Fanelli, M. R. (see also Ascoli, F.), 191
Roth, J. R. (see also Anderson, R. P.), 147

Rotor speed effects observed during sedimentation of large folded DNA molecules, an explanation, 353
*rpo*BC operon transcription is specifically affected by a mutation in the gene for the β' subunit of *Escherichia coli* RNA polymerase, 37

Salas, M., Mellado, R. P., Viñuela, E. & Sogo, J. M., Characterization of a protein covalently linked to the 5′ termini of the DNA of *Bacillus subtilis* phage ϕ29, 269
Salmonella typhimurium, tandem chromosomal duplications: fusion of histidine genes to novel promoters, 147
Schmidt, F. J. (see also McClain, W. H.), 519
Sedimentation of large folded DNA molecules, an explanation for observed rotor speed effects, 353
Seidman, J. G. (see also McClain, W. H.), 519
Sequence analysis for DNA by partial ribosubstitution, 83
— specificity of the wild-type (*dam*$^+$) and mutant (*dam*^{h}) forms of bacteriophage T2 DNA adenine methylase, 361
Sheppard, R. C. (see also Creighton, T. E.), 507
Sogo, J. M. (see also Salas, M.), 269
Sternberg, M. J. E. (see also Phillips, D. C.), 329
Stimpson, D. (see also Pettijohn, D.), 353
Stroma, corneal, X-ray diffraction studies, 237
Structural properties and purification of the globin mRNA precursors, 21
— — — globin mRNA precursors, 1
— — — single-stranded polyribonucleotide poly(2′-*O*-methylcytidylic acid), 399
—, three-dimensional, of 30 S ribosome of *Escherichia coli*, 463
— of triose phosphate isomerase and its comparison with lactate dehydrogenase, 329
Stuhrmann, H. B., Koch, M. H. J., Parfait, R., Haas, J., Ibel, K. & Crichton, R. R., Determination of the distribution of protein and nucleic acid in the 70 S ribosomes of *Escherichia coli* and their 30 S subunits by neutron scattering, 203
Supercoiling of mouse L-cell mitochondrial DNA, 69
Synthesis of mitochondrial RNA and protein in enucleated African green monkey cells, 455

T2 (see also Bacteriophage), 361
Tandem chromosomal duplications in *Salmonella typhimurium:* fusion of histidine genes to novel promoters, 147
T-even bacteriophage tRNAs, evolution of the biosynthesis of 3′-terminal C-C-A residues, 519
Thornton, J. M. (see also Phillips, D. C.), 329
Transcription of the *rpo*BC operon is specifically affected by a mutation on the gene for the β' subunit of *Escherichia coli* RNA polymerase, 37
Transducing phage, generalized (MX4), for *Myxococcus xanthus*, isolation, 167
— —, — — — — (MX4), physical characterization, 179
Transfer RNAs of T-even bacteriophages, evolution of the biosynthesis of 3′-terminal C-C-A residues, 519
Traub, P. (see also Hackett, P. B.), 253
Triose phosphate isomerase, an analysis of its structure and a comparison with lactate dehydrogenase, 329
Trypsin inhibitor, pancreatic, bovine, modified at methionine-52, refolding, 507

Vachette, P. (see also Gulik, A.), 391
Van Ormondt, H. (see also Hattman, S.), 361
Van Scoyk, S. (see also Pettijohn, D.), 353
Vecchini, P. (see also Ascoli, F.), 191
Vibrations, carbon-methyl, assignment in the resonance Raman spectrum of rhodopsin; resonance Raman spectroscopy of chemically modified retinals, 569
Viñuela, E. (see also Salas, M.), 269

Weininger, M. S. & Banaszak, L. J., Mitochondrial malate dehydrogenase. Crystallographic properties of the pig heart enzyme, 443
Wilkie, D. (see also Fonty, G.), 213
Wilson, I. A. (see also Phillips, D. C.), 329
Woolgar, A. E. (see also Goodfellow, J. M.), 237

Xenopus laevis and *X. borealis*, mapping of mitochondrial DNA: the positions of ribosomal genes and D-loops, 133
X-ray diffraction studies of the corneal stroma, 237
— scattering, small-angle, study of ribosomal proteins S3, S4, S7 and S20, 391

Yeast, wild-type, cells, the mitochondrial genome; recombination in crosses, 213

Zeppezauer, E. (see also Plapp, B. V.), 451
Zusman, D. R. (see also Campos, J. M.), 167
Zusman, D. R. (see also Geisselsoder, J.), 179